

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6358	((access near4 points) or (base near4 stations)) and protocol near4 services	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 16:48
L2	1615	((access near4 points) or (base near4 stations)) and protocol near4 services and protocol near4 stack	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 16:49
L3	6179	((access near4 points) or (base near4 stations)) and protocol near4 services and ((maxim near4 delay\$3) or (tim\$3 out) or (inter near2 fram\$3 near2 spac\$3))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 16:53
L4	1269	((access near4 points) or (base near4 stations)) and protocol near4 services and ((maxim near4 delay\$3) or (tim\$3 near4 out) or (inter near2 fram\$3 near2 spac\$3))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 16:53
L5	17	((access near4 points) or (base near4 stations)) and protocol near4 services and ((maxim near4 delay\$3) or (tim\$3 near4 out) or (inter near2 fram\$3 near2 spac\$3)) with (\$2depend\$3 or depend\$3 or independent)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 16:55
L6	511	((access near4 points) or (base near4 stations)) same (gateway or controller or processor) and protocol near4 services and ((maxim near4 delay\$3) or (tim\$3 near4 out) or (inter near2 fram\$3 near2 spac\$3))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 17:04

L7	616	((access near4 points) or (base near4 stations)) same (gateway or controller or processor) and protocol near4 services and ((maxim\$3 near4 delay\$3) or (tim\$3 near4 out) or (inter near2 fram\$3 near2 spac\$3))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 17:04
L8	2	((access near4 points) or (base near4 stations)) same (gateway or controller or processor) and protocol near4 services and ((maxim\$3 near4 delay\$3) or (tim\$3 near4 out) or (inter near2 fram\$3 near2 spac\$3)) with (independent or dependent)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 17:05
L9	616	((access near4 points) or (base near4 stations)) same (gateway or controller or processor) and protocol near4 services and ((maxim\$3 near4 delay\$3) or (tim\$3 near4 out) or (inter near2 fram\$3 near2 spac\$3))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 17:06
L10	9	((access near4 points) or (base near4 stations)) same (gateway or controller or processor) and protocol near4 services same ((maxim\$3 near4 delay\$3) or (tim\$3 near4 out) or (inter near2 fram\$3 near2 spac\$3))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 17:06
L11	109	((access near4 points) or (base near4 stations)) same (gateway or controller or processor) and protocol near4 (stack or service\$1) same ((maxim\$3 near4 delay\$3) or (tim\$3 near4 out) or (inter near2 fram\$3 near2 spac\$3))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 17:15

L12	34	((access near4 points) or (base near4 stations)) same (gateway or controller or processor) and protocol near4 (stack or service\$1) same ((maxim\$3 near4 delay \$3) or (tim\$3 near4 out) or (inter near2 fram\$3 near2 spac\$3)) and ((wireless near local near4 area near4 network \$1) or wlan\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 18:13
L13	1306	((access near4 points) or (base near4 stations)) same (gateway or controller or processor) and ((maxim\$3 near4 delay\$3) or (tim\$3 near4 out) or (inter near2 fram\$3 near2 spac\$3)) and ((wireless near local near4 area near4 network \$1) or wlan\$1)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 18:14
L14	230	((access near4 points) or (base near4 stations)) same (gateway or controller or processor) and ((maxim\$3 near4 delay\$3) or (tim\$3 near4 out) or (inter near2 fram\$3 near2 spac\$3)) and ((wireless near local near4 area near4 network \$1) or wlan\$1) and protocol near4 stack	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 18:14
L15	43	((access near4 points) or (base near4 stations)) same (gateway or controller or processor) and ((maxim\$3 near4 delay\$3) or (tim\$3 near4 out) or (inter near2 fram\$3 near2 spac\$3)) and ((wireless near local near4 area near4 network \$1) or wlan\$1) and protocol near4 stack and (independent or depend \$3) with delay\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 18:15

L16	7	((access near4 points) or (base near4 stations)) same (gateway or controller or processor) and ((maxim\$3 near4 delay\$3) or (tim\$3 near4 out) or (inter near2 fram\$3 near2 spac\$3)) and ((wireless near local near4 area near4 network\$1) or wlan\$1) and protocol near4 stack and (independent or depend\$3) with delay\$3 and @ad<"20021309"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 18:15
L21	11	((access near4 points) or (base near4 stations)) with protocol and (gateway or controller or processor) with ((maxim\$3 near4 delay\$3) or (tim\$3 near4 out) or (inter near2 fram\$3 near2 spac\$3)) and ((wireless near local near4 area near4 network\$1) or wlan\$1) and @ad<"20021309"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 18:21
L22	1	((access near4 points) or (base near4 stations)) with ((maxim\$3 near4 delay\$3) or (tim\$3 near4 out) or (inter near2 fram\$3 near2 spac\$3)) and (gateway or controller or processor) with ((maxim\$3 near4 delay\$3) or (tim\$3 near4 out) or (inter near2 fram\$3 near2 spac\$3)) and ((wireless near local near4 area near4 network\$1) or wlan\$1) and @ad<"20021309"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 18:22
L24	140	((access near4 points) or (base near4 stations)) and (gateway or controller or processor) and (maxim\$3 near4 delay\$3) and ((wireless near local near4 area near4 network\$1) or wlan\$1) and @ad<"20021309"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 18:24

L25	1	((access near4 points) or (base near4 stations)) and (gateway or controller or processor) and (independent or depend\$3) with (maxim\$3 near4 delay\$3) and ((wireless near local near4 area near4 network\$1) or wlan\$1) and @ad<"20021309"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 18:25
L26	140	((access near4 points) or (base near4 stations)) and (gateway or controller or processor) and (maxim\$3 near4 delay \$3) and ((wireless near local near4 area near4 network\$1) or wlan\$1) and @ad<"20021309"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 18:26
L27	53	((access near4 points) or (base near4 stations)) and (gateway or controller or processor) and (maxim\$3 near4 delay \$3) and ((wireless near local near4 area near4 network\$1) or wlan\$1) and @ad<"20021309" and protocol near4 stack	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 18:27
L31	1	((access near4 points) or (base near4 stations)) and (gateway or controller or processor) with (maxim\$3 with delay \$3) and ((wireless near local near4 area near4 network\$1) or wlan\$1) and @ad<"20021309"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 18:28
L32	5	((access near4 points) or (base near4 stations)) and (gateway or controller or processor) same (maxim\$3 with delay \$3) and ((wireless near local near4 area near4 network\$1) or wlan\$1) and @ad<"20021309"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 18:29

L33	57	((access near4 points) or (base near4 stations)) and (gateway or controller or processor) and (maxim\$3 near4 delay\$3) and ((wireless near local near4 area near4 network\$1) or wlan\$1) and @ad<"20021309" and IEEE adj2 "802.11"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 18:33
L34	160	((access near4 points) or (base near4 stations)) and (gateway or controller or processor) and ((time near4 maxim\$3 near4 delay\$3) or (time adj2 out) or (inter near2 fram\$3 near2spac\$3)) and ((wireless near local near4 area near4 network\$1) or wlan\$1) and @ad<"20021309" and IEEE adj2 "802.11"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 18:44
L35	211	((access near4 points) or (base near4 stations)) and (gateway or controller or processor) and ((time near4 maxim\$3 near4 delay\$3) or (time adj2 out) or (inter\$5 near2 fram\$3 near2spac\$3)) and ((wireless near local near4 area near4 network\$1) or wlan\$1) and @ad<"20021309" and IEEE adj2 "802.11"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 18:45
L36	136	((access near4 points) or (base near4 stations)) same (gateway or controller or processor) and ((time near4 maxim\$3 near4 delay\$3) or (time adj2 out) or (inter\$5 near2 fram\$3 near2spac\$3)) and ((wireless near local near4 area near4 network\$1) or wlan\$1) and @ad<"20021309" and IEEE adj2 "802.11"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 18:45

L37	377	((access near4 points) or (base near4 stations)) same (gateway or controller or processor) and ((time near4 maxim \$3 near4 delay\$3) or (time adj2 out) or (inter \$5 near2 fram\$3 near2spac\$3)) and (((wireless near local near4 area near4 network \$1) or wlan\$1) or IEEE adj2 "802.11") and @ad< "20021309"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 18:46
L38	19	((access near4 points) or (base near4 stations)) same (gateway or controller or processor) same ((time near4 maxim \$3 near4 delay\$3) or (time adj2 out) or (inter \$5 near2 fram\$3 near2spac\$3)) and (((wireless near local near4 area near4 network \$1) or wlan\$1) or IEEE adj2 "802.11") and @ad< "20021309"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 18:47
L39	196	((access near4 points) or (base near4 stations)) same (gateway or controller or processor) same ((time near2 maxim \$3 near2 delay\$3) or (time adj2 out) or (inter \$5 near2 fram\$3 near2 spac\$3)) and @ad< "20021309"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 19:06
L40	41	((access near4 points) or (base near4 stations)) with ((time near2 maxim \$3 near2 delay\$3) or (time adj2 out) or (inter \$5 near2 fram\$3 near2 spac\$3)) and (gateway or controller or processor) with ((time near2 maxim \$3 near2 delay\$3) or (time adj2 out) or (inter \$5 near2 fram\$3 near2 spac\$3)) and @ad< "20021309"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 19:07

L41	196	((access near4 points) or (base near4 stations)) same (gateway or controller or processor) same ((time near2 maxim\$3 near2 delay\$3) or (time adj2 out) or (inter\$5 near2 fram\$3 near2 spac\$3)) and @ad< "20021309"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 19:25
L42	5	((access near4 points) or (base near4 stations)) same (gateway or controller or processor) same ((time near2 maxim\$3 near2 delay\$3) or (time adj2 out) or (inter\$5 near2 fram\$3 near2 spac\$3)) and @ad< "20021309" and WLAN	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 19:26
L43	60	((access near4 points) or (base near4 stations)) same (gateway or controller or processor) same (depend\$3 or bas\$3 or independent) with ((time near2 maxim\$3 near2 delay\$3) or (time adj2 out) or (inter\$5 near2 fram\$3 near2 spac\$3)) and @ad< "20021309"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 19:28
L44	33	((access near4 points) or (base near4 stations)) same (gateway or controller or processor) same (depend\$3 or bas\$3 or independent) with ((time near2 maxim\$3 near2 delay\$3) or (time adj2 out) or (inter\$5 near2 fram\$3 near2 spac\$3)) and @ad< "20021309" and protocol\$1	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2009/03/12 19:32

3/ 12/ 2009 7:47:48 PM